## 7-day Space Weather Conditions (SUPARCO)



## Friday, August 09, 2019, 14:35 PST

	LOCAL CURRENT IONOSPHERIC CONDITIONS OVER PAKISTAN <sup>a</sup>										
	09-Aug-19	10- Aug -19	11- Aug -19	12- Aug -19	13- Aug -19	14- Aug -19	15- Aug -19				
foF2	5.1 MHz	6.0 MHz	6.3 MHz	5.2 MHz	8.0 MHz	7.5 MHz	7.0 MHz				
h′F2	398 km	380 km	360 km	355 km	340 km	355 km	350 km				
TEC	13 TECU	14 TECU	16 TECU	12 TECU	20 TECU	18 TECU	17 TECU				

<sup>\*</sup>Table provided for Maximum Usable Frequency (MUF) and Optimum Traffic Frequency (FOT) for various distances after 6-Day conditions' section.

Local ionospheric conditions are nominal with slightly depressed MUF conditions. It is advised to use the frequency range mentioned above w.r.tthe distances (km).

LOCAL GEOMAGNETIC CONDITIONS OVER PAKISTAN <sup>ab</sup>								
K-index	1	3	2	2	1	2	2	
F	45310/49825 nT	45340±30/49850±2 5 nT	45320±30 /49855±20 nT	45320±30/49855± 20 nT	45320±30/49855± 20 nT	45320±30/49855± 20 nT	45320±30 /49855±20 nT	
D	0.53 /0.68 degrees	0.53 /0.69 degrees	0.55/0.67 degrees	0.55/0.67 degrees	0.56/0.69 degrees	0.58/0.68 degrees	0.57 /0.75 degre	

The local geomagnetic field is quiet at the moment.


SN	0	2 (SSN-predicted)	2 (SSN-predicte				
F 10.7	70 sfu	68	68 sfu	68	68 sfu	68	68 sfu
V <sub>sw</sub>	498 km/sec (varied in the past 12 hrs between 427 & 598 km/s)	Moderate solar wind speed expected	Low solar wind speed expected	Low solar wind speed expected	Low solar wind speed expected	Low to moderate solar wind speed expected	Moderate sola wind speed expected
Solar flares	A 7.2 (max. flare in the past 24 hrs: A 8.0 0549 UT Aug 09)	low levels of solar flare activity expected	low levels of so flare activity expected				
IMF Bt Bz	5.4 nT (varied in the past 12 hrs between 2.3 & 5.9nT)  -1.5 nT (varied in the past 12 hrs between +3.4 & -5.7 nT)	Expected to vary between positive and negative sectors	Expected to vary between positive and negative sectors	Expected to vary between positive and negative sectors	Expected to vary between positive and negative sectors	Expected to vary between positive and negative sectors	Expected to value between position and negative sectors


Solar conditions are at very low levels with background X-ray flux at A-class levels. Local HF working frequencies are fair as compared to monthly average predicted values.

Daily Sun: 9 August 2019

None of the regions are active currently on the solar disk.

01 Coronal Hole (CH) is visible on the northern solar limb.





6-Day Conditions

Solar activity is expected to remain at very low levels. The solar wind speed is expected to turn to ambient levels for the next thre days but might get moderate on the following days.

Local geomagnetic activity is expected to stay mostly at quiet levels.

It is advised to use the frequency ranges mentioned in the table below\*.

		*Maxim	um Usabl	e Freque	ency (Ml	JF) and (	Optimum	Traffic	Frequenc	y (FOT)	for varie	ous dista	nces				
Distance (Km) →Dates↓	10	100		200		400		600		800		1000		1500		3000	
,	MUF	FOT	MUF	FOT	MUF	FOT	MUF	FOT	MUF	FOT	MUF	FOT	MUF	FOT	MUF	FOT	
09-Aug	5.1	4.4	5.3	4.5	5.7	4.8	6.3	5.4	7.1	6.1	8.0	6.8	10.0	8.5	14.2	12.0	
10-Aug	6.1	5.1	6.2	5.3	6.8	5.8	7.6	6.5	8.6	7.3	9.6	8.2	12.2	10.3	17.1	14.6	
11-Aug	6.4	5.4	6.5	5.6	7.2	6.1	8.1	6.9	9.2	7.9	10.4	8.8	13.3	11.3	18.6	15.8	
12-Aug	5.3	4.5	5.4	4.6	6.0	5.1	6.8	5.7	7.7	6.5	8.7	7.4	11.0	9.4	15.5	13.1	
13-Aug	8.1	6.9	8.3	7.1	9.3	7.9	10.6	9.0	12.1	10.3	13.7	11.6	17.5	14.9	24.4	20.7	
14-Aug	7.6	6.4	7.8	6.6	8.6	7.3	9.7	8.3	11.1	9.4	12.5	10.6	15.9	13.5	22.3	19.0	
15-Aug	7.1	6.0	7.3	6.2	8.0	6.8	9.1	7.8	10.4	8.9	11.8	10.0	15.0	12.8	21.0	17.8	

	DEFINITIONS OF TERMINOLOGIES USED IN THIS SUMMARY
foF2	Maximum frequency of F2-layer of the ionosphere
h′F2	Virtual height of the F2-layer
MUF	Maximum usable frequency for 3000 km
K-index	Local index defining geomagnetic conditions
Declination	Planetary A index defining geomagnetic conditions, predicted value during geomagnetic unsettled conditions
F	Magnitude of the total geomagnetic field vector (unit in nano Teslas)
SON, difference	Sonmiani Geomagnetic Observatory mean value, <u>difference limit</u> from night time value of quiet conditions: 25-30 nT, max: 260 nT
ISP	Islamabad Geomagnetic Observatory mean value
SN	Relative sunspot numbers
Vsw	Solar Wind Speed (km/s)
F10.7	Solar radio flux at 2.8 GHz (10.7 cm wavelength)
sfu	Solar flux unit (defines the solar radio 10.7 cm flux )
Solar Flare	Could be B, C, M and X depending upon the intensity of x-rays being emitted (each type has further 10 classes based on amount of energy released by the flare)
IMF	Interplanetary magnetic field (the source of which is the Sun)
Bt	Total IMF (unit in nano Teslas)
Bz	Vertical component of IMF (could be north/upward/positive or south/downward/negative) (unit in nano Teslas)
AR	Active Regions on the sun currently in view
CME	Coronal Mass Ejection
СН	Coronal Hole
KASI	Korean Astronomy & Space Science Institute
SWFs	Short-wave fadeouts, caused by M/X class flares on the daylit side of the hemisphere absorbing lower frequencies and hampering HF communication.
SSN-Predicted	Smooth Sunspot Number-it is an estimated value using a mathematical relation to forecast it.
CIR	Co-rotating Interaction Region

For information on radio blackout levels, please follow the link: <a href="http://www.swpc.noaa.gov/noaa-scales-explanation">http://www.swpc.noaa.gov/noaa-scales-explanation</a>

<u>Images source</u>: Solar Dynamics Observatory-SDO) Both images showing the Solar disk and Coronal Holes have been processed at SUPARCO using Automatic Solar Synoptic Analyzer (ASSA), developed jointly by the Korean Space Weather Centre of the Radio Research Agency (RRA) & Space Environment Laboratory (SELab).

Data sources: The planetary indices and solar data are taken from the URLs below:

http://www.spaceweather.go.kr

http://www.sws.bom.gov.au

http://www.solarmonitor.org

<sup>a</sup>Sonmiani (SON): 25.2° N, 66.75° E <sup>b</sup>Islamabad (ISB): 33.7° N, 73.13° E